



Stretch Belt
RIB ACE FIT

RIB ACE FIT


Low Modulus Poly V-Belt
WITHOUT TENSION PULLEY

Product brochure
as PDF-File:



RIB ACE FIT

The Bando Low Modulus Poly V-Belt offers a high performance self-tensioning technology for light load accessory drive belt systems.



ADVANTAGES

Rib Ace Fit belts are self-tensioning without tension pulley

The setting tension is reduced for energy efficient drives


Self-tensioning technology offers a life time maintenance free drive

Easy installation with the installation equipment

Lightweight system without tension pulley


BELT STRUCTURE

The belt can be easily installed between 2 pulleys with fixed center distance.
The improved polyamid tension cord leads to a lower pre-tension tolerance.



TECHNICAL RESULTS

The Bando Rib Ace Fit Belt offers an improved setting tension tolerance, which considerably improves the energy efficiency.





Stretch Belt RIB ACE FIT

INSTRUCTION FOR USAGE

Each Rib Ace Fit belt is delivered with a set of installation equipment and an installation instruction. Please make sure to read enclosed instruction.

Please pay attention to the installation instructions.
Use only for the provided applications.



* Please note that this catalogue is reserved to changes. All data in this publication have been compiled and checked with utmost diligence, nevertheless errors and mistakes cannot be totally excluded. Do not duplicate or copy any part or contents without the permission of Bando Europe GmbH.

Bando Europe GmbH
Krefelder Straße 671
41066 Mönchengladbach / Germany

Phone: +49 (0) 2161 - 901 04 0
E-Mail: info@bando.de
Web: www.bando.de