




Long life V-Belt especially for reverse-bend drive
with backside idlers

Snow Blower V-Belt RED S II



Product brochure
as **PDF-File:**




INTRODUCTION

Particularly suitable for snow blower machinery where belts are often driven with a backside idler.



BELT STRUCTURE

RED S II





EXAMPLE




ADVANTAGES

- Long **durability** for backside bending
- High **transmission capacity**
- Long **service life** in reverse applications
- High **shock service life**

Reverse Bending Durability



DIMENSIONS



| Belt Type | Top width bt | Thickness h | Angle ab |
|-----------|--------------|-------------|----------|
| | mm | mm | deg |
| SA | 12.7 | 7.0 | 40° |
| SB | 16.7 | 9.0 | 40° |
| SC | 22.2 | 11.0 | 40° |

SIZE LIST

| Belt Type | axb (mm) | Belt pitch length in inches |
|-----------|-------------|--|
| SA | 12.7 x 7.0 | 17, 18, 20, 21, 22, 23, 24, 25, 26*, 27, 28, 29, 30*, 31, 32, 33, 34, 35, 36, 37*, 38, 39, 40*, 41, 42, 43, 44*, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 102, 105, 108, 110, 112, 115, 118, 120, 122, 125, 128, 130, 135, 140, 145, 150, 155, 160, 165, 170, 180, 200, 205, 210, 220, 225, 230, 235, 240, 250 |
| SB | 16.7 x 9.0 | 22, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37*, 38, 39, 40*, 41, 42*, 43, 44, 45*, 46*, 47*, 48*, 49*, 50*, 51*, 52*, 53, 54, 55*, 56*, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 102, 105, 108, 110, 112, 115, 118, 120, 122, 125, 128, 130, 135, 140, 145, 150, 155, 160, 165, 170, 180, 190, 200, 210 |
| SC | 22.2 x 11.0 | 35, 39, 40, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 64, 65, 66, 67, 68, 69, 70, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 85, 86, 87, 88, 89, 90, 94, 95, 96, 99, 100, 102, 105, 108, 110, 112, 115, 118, 120, 122, 125, 128, 130, 134, 137, 139, 140, 145, 150, 167, 175 |

Please note that the lengths marked with * are also available as half lengths.
Further half lengths are available on request.

Provided by:

* Please note that this catalogue is reserved to changes. All data in this publication have been compiled and checked with utmost diligence, nevertheless errors and mistakes cannot be totally excluded. Do not duplicate or copy any part or contents without the permission of Bando Europe GmbH.